

| | | |
|---|--|---|
| Date Correction Plan Due 10/24/2025 | NONCOMPLIANCE STATEMENT AND CORRECTION PLAN | TO FILE A COMPLAINT CALL 920-785-7811 |
|---|--|---|

Use of Form: This form is used by certification / licensing staff to identify statute and / or administrative rule violation(s) and to outline imposed plans of correction, if applicable. This form is used by certified operators / licensed centers to meet the requirements of DCF 202.065, DCF 250.04(2)(i) and (3)(d), DCF 251.04(2)(L) and (3)(f), DCF 252.41(1)(L) and (2)(k). Failure to submit an appropriate correction plan by the due date listed above may result in sanctions identified in the statute and / or administrative rule. Public Schools may submit plans of correction however are not required to do so.

Instructions: The Noncompliance Statement below identifies the violation(s) of child care statute and / or administrative rule identified by the certification / licensing specialist. Complete the section labeled "Correction Plan" by indicating the steps that will be taken to address and correct each of the listed noncompliance(s). Identify expected completion date(s) for each item. Return the original to your certification / licensing specialist for approval and retain a copy. If this is a licensed child care, post your copy of the noncompliance statement and correction plan near the license in accordance with Wis. Stat. 48.657. This request for a correction plan is not an order imposing a sanction or penalty pursuant to Wis. Stat. 48.715. If the department decides to apply a statutory sanction and / or penalty for facts arising from this finding or a future finding, you will be given a notice of the sanction and / or penalty and your appeal rights.

| | | | |
|--|---|---|---|
| Name - Certified Operator / Licensed Center Oshkosh Ymca Child Care At Uwo | | Provider Number / Facility ID Number 2000559672 / 019 - 2006534 | |
| Address - Facility (Street, City, State, Zip Code) 608 Algoma Blvd Lincoln Hall Oshkosh WI 549013502 | | Telephone Number 920-424-0260 | Date - Regulation Visit 9/17/2025 |
| | Rule/Statute Number Noncompliance Statement | Correction Plan | Expected Completion Date |
| 1 | 251.07(3)(a)1. Indoor Equipment - Developmental Level, Size Description: The center self reported: The toddler 2 room had sensory tubes in that were rated for children 6 years of age and up. A one year old child broke the tube and drank the liquid inside of it and medical attention was sought. | Toys were re-evaluated to ensure they were age appropriate, we also will look at the specs closer when we purchase new toys moving forward. | 9/30/25 |

| | |
|--|----------------------------------|
| NAME - Agency Worker Jill Kellner | Date Issued 10/10/2025 |
| SIGNATURE - Certified Operator or Designee / Licensee or Designee | Date Signed 10/13/25 |